

Product Information

71 31 160

KNIPEX CoBolt® S

Compact Bolt Cutters

With recess in the cutting edge

- Extremely high cutting performance in a convenient length of 160 mm
- Small, slim head for excellent accessibility
- Compact and powerful: cuts bolts, nails, rivets etc.
- Heavy duty, induction-hardened cutting edge for thin, hard wire, screws and springs. Cutting edge hardness approx. 64 HRC
- Less physical effort due to efficient lever action mechanism
- No slipping of the material to be cut due to lasered cutting edge
- With gripping surface below the joint for gripping and pulling wires from Ø 1.0 mm
- Blades with recess for easier cutting of larger cross-sections thanks to better leverage close to the fulcrum



General

Part No.	71 31 160
EAN	4003773084587
pliers	black atramentized
Handles	with plastic coating
Weight	200 g
Dimensions	160 x 45 x 14 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable

Technical details

Cutting capacities soft wire (diameter)	Ø 5 mm
Cutting capacities medium hard wire (diameter)	Ø 4.8 mm
Cutting capacities hard wire (diameter)	Ø 3.6 mm
Cutting capacities piano wire (diameter)	Ø 3.3 mm

Technical changes and errors excepted



