

## Product Information

# 97 53 09

### Self-Adjusting Crimping Pliers for wire ferrules

With front loading



- For crimping wire ferrules according to DIN 46228 parts 1 + 4
- Self-adjusting adaptation to the desired wire ferrule size: no wrong crimps caused by using the wrong die
- Frontal insertion of the wire ferrules into the pliers
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Precise, factory calibrated crimping pressure
- High crimping force due to efficient lever action
- Handy shape and low weight provide high operation comfort
- Approved crimping according to UL in conjunction with KNIPEX wire ferrules 97 99 330 - 399
- Compression from 0.08 - 10.0 and 16.0 mm<sup>2</sup> in one profile
- With selector lever for setting the crimping area either to 0.08 - 10 mm<sup>2</sup> or 16 mm<sup>2</sup>



#### General



Part No.	97 53 09
EAN	4003773044550
pliers	burnished
Handles	with multi-component handles
Weight	486 g
Dimensions	190 x 20 x 23 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable



#### Technical details

Application	Wire ferrules
Capacity in square millimetres	0.08 – 10 / 16 mm <sup>2</sup>
Number of crimp profiles	1
AWG	28 – 6

Technical changes and errors excepted







KNIPEX Quality – Made in Germany

